

Dell EMC OpenManage Installation and Management Release Notes

Version 9.1

This document describes the new features, enhancements, and fixed issues in OpenManage Installation and Management 9.1

Topics:

- [Release Type and Definition](#)
- [What's new in this release](#)
- [Installation](#)
- [User Notes for Supported Microsoft Windows Operating Systems](#)
- [User Notes for Supported Red Hat Enterprise Linux, SUSE Linux Enterprise Server and VMware ESX Operating Systems](#)
- [Known Issues and Workarounds](#)
- [Known Limitations and Workarounds](#)
- [Contacting Dell](#)

Release Type and Definition

Version:

9.1

Release Date:

December 2017

Previous Version:

8.5

Importance:

RECOMMENDED: Dell recommends applying this update during your next scheduled update cycle. The update contains feature enhancements or changes that help keep your system software current and compatible with other system modules (firmware, BIOS, drivers and software).

What's new in this release

- Support for Microsoft Windows x86 to x64 OpenManage upgrade install:
 - Support for Microsoft Windows 32-bit installation is not available for OpenManage 9.1 and later.
 - An upgrade install is available only for Microsoft Windows 64-bit.
- Support for servers from 11th generation till 14th generation.

- Supported network cards:
 - - Emulex LightPulse LPe31000-M6-D 1-Port 16Gb Full Height Fibre Channel Adapter
 - Emulex LightPulse LPe31000-M6-D 1-Port 16Gb Low Profile Fibre Channel Adapter
 - Emulex LightPulse LPe31002-M6-D 2-Port 16Gb Full Height Fibre Channel Adapter
 - Emulex LightPulse LPe31002-M6-D 2-Port 16Gb Low Profile Fibre Channel Adapter
 - Mellanox ConnectX-4 Dual Port EDR VPI QSFP28 Low Profile Adapter
 - Mellanox ConnectX-4 Dual Port EDR VPI QSFP28 Full Height Network Adapter
 - Mellanox ConnectX-4 Single Port EDR VPI QSFP28 Low Profile Adapter
 - Mellanox ConnectX-4 Single Port EDR VPI QSFP28 Full Height Network Adapter
 - Harbor Channel - Intel(R) Ethernet 25G 2P XXV710 Adapter (25GBE PCIe Adapter)
 - QLogic Duluth - FH – 10Gb Dual Port BT Arrowhead based Converged Network Adapter QL41162HFRJ-DL-BK (without optics)
 - QLogic Duluth – LP - 10Gb Dual Port BT Arrowhead based Converged Network Adapter QL41162HLRJ-DL-BK (without optics)
 - QLogic Dunkirk - 10- FH – 10Gb Dual Port SFP Arrowhead based Converged Network Adapter QL41112HFCU-DL-BK (without optics)
 - QLogic Dunkirk - 10– LP - 10Gb Dual Port SFP Arrowhead based Converged Network Adapter QL41112HLCU-DL-BK (without optics)
 - QLogic Dunkirk - FH – 10/25Gb Dual Port SFP28 Arrowhead based Converged Network Adapter QL41262HFCU-DL-BK (without optics)
 - QLogic Dunkirk – LP - 10/25Gb Dual Port SFP28 Arrowhead based Converged Network Adapter QL41262HLCU-DL-BK (without optics)
 - QLogic Dundee - FH – 10Gb Quad Port BT Arrowhead based Converged Network Adapter QL41164HFRJ-DL (without optics)
 - QLogic Dundee – LP – 10Gb Quad Port BT Arrowhead based Converged Network Adapter QL41164HLRJ-DL (without optics)
 - QLogic Delray - FH – 10Gb Quad Port SFP Arrowhead based Converged Network Adapter QL41164HFCU-DL (without optics)
 - QLogic Delray – LP - 10Gb Quad Port SFP Arrowhead based Converged Network Adapter QL41164HLCU-DL (without optics)
 - QLogic Dardanelle – rNDC - 10/25Gb Dual Port SFP28 Arrowhead based Converged Network Adapter QL41262HMCU-DL (without optics)
 - QLogic Darwin – rNDC - 10Gb Dual Port BT Arrowhead based Converged Network Adapter QL41164HMRJ-DL (without optics)
 - QLogic Dresden – rNDC - 10Gb Dual Port SFP Arrowhead based Converged Network Adapter QL41164HMCU-DL (without optics)
 - QLogic Dartmouth – rNDC – 1Gb & 10Gb 2+2 Port BT Arrowhead based Converged Network Adapter QL41264HMCU-DL-BK (without optics)
 - QLogic Dunedin – rNDC – 1Gb & 10Gb 2+2 Port SFP Arrowhead based Converged Network Adapter QL41264HMCURJ-DL-BK (without optics)
- Supported operating systems:
 - Red Hat Enterprise Linux 7.4
 - SUSE Linux Enterprise Server 12 SP3
 - Ubuntu 16.04.3 LTS (Xenial Xerus) from PowerEdge 14G servers onwards
 - ESXi 6.5 U1
- Supported web browsers:
 - Google Chrome version 57
 - Google Chrome version 58
 - Mozilla Firefox version 52
 - Mozilla Firefox version 53
 - Internet Explorer 11
 - Internet Explorer 10
 - Safari version 10.x

Server Administrator

- Support for Java Runtime Environment 8 Update 131.
- Upgraded Tomcat version to 8.5.15.

- Minimum supported TLS version is TLSv1.1.
- Encryption Ciphers list has been updated as per OWASP Apache Tomcat Security Standards.
- Supports NVDIMM (Non Volatile DIMM) monitoring in PowerEdge 14G servers.
- Supports System Configuration Lockdown Mode in PowerEdge 14G servers.
- Supports "Full Power Cycle" capability under BIOS settings which enables DC Power cycle followed by AC Power cycle of the auxiliary components (includes iDRAC, CPLD, etc.).
- Server Administrator Shared Service which is used to invoke the Inventory Collector would be disabled by default during installation of Server Administrator. In order to invoke Inventory Collector explicitly customer should enable it through Server Administrator command line interface.
- Server Administrator ESXi VIB leverages the ESXi OS Live installation capability so that a host OS reboot will not be required post installation or removal of the VIB.

Storage Services

- Support for "Prepare To Remove" operation for PCIe SSD devices through PERC S140 controller.
- Support for setting the critical threshold and warning threshold for available spare and alert generation.
- Support for the following Intel Clifffdale devices are added: P4500, and P4600
- Support for CAPONE V2 (BOSS) device.
- Support for Ubuntu 16.04.3 operating system.

NOTE: For the list of supported operating systems and Dell servers, see the *Dell EMC OpenManage Software Support Matrix* in the required version of OpenManage Software at dell.com/openmanagemanuals.

NOTE: For more information about any features, see the *Dell EMC OpenManage Server Administrator Online Help*.

Installation

- To install Server Administrator on Windows Server 2008 R2 SP1 Core and Windows Server 2012 Core, Windows-on-Windows (WOW) mode must be enabled.
- On the Red Hat Enterprise Linux and SUSE Linux Enterprise Server operating systems, to perform an **Express Install**, execute `srvadmin-install.sh -x` from the `SYSMGMT/srvadmin/linux/supportscripts` directory.

For more information on installation instructions, including silent installation options, see the *Dell EMC OpenManage Server Administrator Installation Guide* at dell.com/support/openmanagemanuals.

User Notes for Supported Microsoft Windows Operating Systems

In the Prerequisite checker screen, you may get the following message: **An error occurred while attempting to execute a Visual Basic Script. Please confirm that Visual Basic files are installed correctly.** This error occurs when the Prerequisite checker uses the `vbstest.vbs` (a Visual Basic [VB]) script to verify the installation environment and fails for some reason.

The possible causes are:

Issue Description: Incorrect Internet Explorer **Security** settings.

Resolution: Ensure that **Active Scripting** is enabled. Click **Tools > Internet Options > Security > Custom Level > Scripting > Active Scripting > Enable**.

Ensure that **Scripting of Java Applets** is enabled. Click **Tools > Internet Options > Security > Custom Level > Scripting > Scripting of Java Applets > Enable**

Issue Description: Windows Scripting Host (WSH) has disabled the running of VB scripts.

Resolution: By default, WSH is installed during the operating system installation. WSH can be configured to prevent the execution of .VBS scripts. On the desktop, right-click **My Computer**, then go to **Open > Tools > Folder Options > File Types**. Look for the extension VBS and

verify that the **File Types** is set to **VBScript Script File**. If not, click **Change** and select **Microsoft Windows Based Script Host** as the application to run the script.

Issue Description: WSH is the wrong version, is corrupted, or is not installed.

Resolution: By default, WSH is installed during the operating system installation. To download the current WSH version, go to: <http://msdn2.microsoft.com/en-us/library/ms950396.aspx>

Issue Description: The **Scrrun.dll** file may not be registered.

Resolution: Register it manually by running the following command: **regsvr32 Scrrun.dll**

- After an **Unattended Installation** has completed a new console window must be opened to run CLI commands. It is not possible to run CLI commands from the same console window on which Server Administrator is installed.
- If Server Administrator is being installed or uninstalled on a system where the Web download version of Server Diagnostics (version 2.x) or Server Update Utility is running, the Windows Installer service may display a message stating that specific files required by Server Administrator are in use by diagnostics or by the Server Update Utility. Click **Ignore** and continue. (62159)
- On the Microsoft Windows 2008 SP2 SBS operating system, the listener creation link on the Prerequisite checker screen does not work. See the *Dell EMC Server Administrator Installation Guide* for creating the HTTPS listener using the **winrm** command line utility. (332601)

User Notes for Supported Red Hat Enterprise Linux, SUSE Linux Enterprise Server and VMware ESX Operating Systems

- The OpenIPMI device driver used by Server Administrator will conflict with the Intel IMB device driver. Uninstall the IMB driver before installing Server Administrator.
- When Server Administrator is installed on a system, dependency issues related to RPMs may occur. To resolve these issues, install the missing RPMs from **SYSMGMT/srvadmin/linux/RPMS/supportRPMS**. If the RPMs are not available in this directory, install these from the operating system media. (341495)
- Conflicting version requirements for libsmbios library Server Administrator is dependent on libsmbios. On Linux OS variants, if there is a mismatch in the version requirement of libsmbios, installing Server Administrator results in warnings. It is recommended to uninstall libsmbios versions (and the dependent software) before installing Server Administrator.

Known Issues and Workarounds

The following subsections list the currently known issues.

Know Issues on Microsoft Windows operating systems

Issue description: On Microsoft Windows operating system, SNMP walk stops working in a 32-bit to 64-bit upgrade installation.

Issue description: SNMP MIB walk does not display any information in an upgrade from 32-bit to 64-bit version of OpenManage 9.1.

Resolution: To resolve the issue, add this registry entry to the windows registry and restart OS SNMP service

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\SNMP\Parameters\ExtensionAgents]
```

```
"SysMgmtDataEngine"="SOFTWARE<\\Dell Computer Corporation\OpenManage\DataEngine\SNMP Agent\CurrentVersion>".
```

Issue description: (JIT-80450) On Microsoft Windows operating system, in an upgrade from 32-bit to 64-bit, if SysMgmtx64.msi is directly double-clicked and launched, upgrade will fail with a rollback.

Resolution: To avoid the failure, use setup.exe or run SysMgmtx64.msi with elevated rights (run as Administrator).

Issue description: If the uninstall operation is aborted, some of the Server Administrator component tree objects may not appear.

Resolution: To resolve this issue, Server Administrator installation must be repaired. Go to **Start > Settings > Control panel > Add Remove Programs**. Select **Repair** on the Server Administrator installation.

Issue description: If the OpenManage 9.1 upgrade installation from 32-bit to 64-bit fails, perform the following steps:

- 1 Run the **OMCleanup.exe** from the OMDVD to clean the residual Server Administrator installation files from the system.
- 2 Install Server Administrator again.

 **NOTE: The saved preferences and certificates from the previous installation will be stored in C:\ProgramData\Dell\ServerAdministrator folder.**

- 3 Copy the contents of the folder to the current successful installation folder and restart the webserver. All the preferences and certificate will be restored.

Issue description: Server Administrator launch using the desktop icon fails in a remote desktop session. (BITS053605)

When Server Administrator is deployed to a system with an active remote desktop session, launching Server Administrator in that session fails with the error message: **The program cannot start because libxml2.dll is missing from your computer. To fix this issue, reinstall the program.**

Resolution: To resolve this issue:

- Log off from the remote session and login again. (or)
- Perform the following steps in the same remote session:
 - a Right-click **My Computer**.
 - b Go to the **Advanced** tab.
 - c Click **Environment Variables**.
The **Environment Variables** pop-up screen is displayed.
 - d Click **OK** and exit from the screen.

Issue description: Configure HTTPS Listener link page does not time out. (498330). If you click the Configure HTTPS listener link in the Prerequisite page, the page does not time out.

Resolution: To resolve this issue, close and reopen the page.

Issue description: Browser secure site warning message. (134991). When launching the Server Administrator Installation Guide from the Prerequisite checker, a Windows message is displayed indicating that the page is blocked due to enhanced security configuration.

Resolution: Add this site to the **Trusted Sites** list, or minimize the security settings. Versions Affected: 8.3.0 and earlier.

Issue description: MSI reference counts affected for Intel SNMP agent install. MSI reference counting takes effect if you install the Intel SNMP agent using the Intel MSI. Installs the Intel SNMP agent again using the Server Administrator installer.

Resolution: The Intel SNMP agent is not uninstalled during installation of the MSI; Remove both installers from the system to remove the agent.

Issue description: **Insufficient Privilege** error message while uninstallation (241136) (241498)

Error message appears when an **Active Directory** user, member of **Domain Admins** , and **Domain Users** group uninstall Server Administrator.

Resolution: To fix this issue, the user can open the command prompt as Administrator and run the command: `msiexec /x <msiname>.msi`

Issue description: On a 13th generation of PowerEdge server if you run the Server Administrator 8.4 installer, the incorrect Software RAID controller driver is being installed. (241203)

Resolution: To fix this issue, you can visit <http://downloads.dell.com/> and install the correct Software RAID driver for your server.

Issue description: After installing or upgrading to OpenManage 9.1, the following message may appear in the event viewer: **Dell EMC OpenManage Systems Management Software (64-Bit). Restart required. The installation or upgrade for the product required a restart for all the changes to take effect. The restart was deferred to a later time.**

Resolution: A system restart is not required, this is only an information message.

Known Issues on Linux operating systems

Issue description: Server Administrator components get removed during an OS upgrade. (380137). During an OS upgrade, some of the srvadmin packages may get removed.

Resolution: After an operating system upgrade, reinstall the Server Administrator since the srvadmin packages may not be applicable for the upgraded operating system. **Example:** After upgrading SLES 10 to SLES 11, Server Administrator must be reinstalled as the SLES 10 srvadmin packages may not work with SLES 11.

Versions Affected: 8.4.0 and earlier

Issue description: Existing connection service lost after SLES 11 upgrade. (388955). Server Administrator version 6.x for Linux does not have a functional Connection Service web GUI after upgrading SUSE Linux Enterprise Server 11 using Service Pack 1. Also, the installed WS-MAN service for OMSA does not function.

Resolution: To prevent it:

- 1 Before upgrading SLES 11 operating system, manually uninstall the open-source packages like OpenWSMAN, SFCB, SFCC and LibCmpiCpplmpl packages with **— nodeps** option.
- 2 Upgrade the SLES11 operating system using Service Pack 1.

If the system is upgraded and is facing issues, then, reinstall the following Server Administrator packages from the install media:

```
rpm -Uhv srvadmin-iws-*.sles11.rpm --nodeps rpm -Uhv srvadmin-itunnelprocider-*.sles11.rpm - nodeps
```

Versions Affected: 8.4.0 to 6.0

Issue description: On a system running supported Linux operating system (French), the System Administrator Shortcut is not available. (124261)

Resolution: To connect to the local Server Administrator Web Server, open a web browser and then connect to the URL **https://localhost:1311** to access Server Administrator. (124261)

Known Limitations and Workarounds

The following subsections list the currently known limitations.

Known Limitations on Microsoft Windows Operating Systems

Issue description: Windows "Advertised" installation. (144364)

Server Administrator install does not support Windows "Advertised" installation — the process of automatically distributing a program to client computers for installation through Windows group policies.

Versions Affected: 8.2.0 and earlier

Issue description: Server Administrator conflicts with the Intel IMB driver.

Server Administrator may conflict with the Intel IMB driver. You may receive an informational message recommending you to uninstall the Intel IMB driver before installing Server Administrator.

You can do it through the "Device Manager" performing the following steps:

- 1 Open **Device Manager**.
- 2 Expand **System devices**.
- 3 Right-click the device with the name `IMB Driver` and click **Uninstall**.
- 4 Click **OK** to uninstall.

If you choose to install Server Administrator during Intel IMB driver installation, Server Administrator services may fail to start or Server Administrator may have problems accessing sensor data.

Issue description:

Wrong install directory is displayed during OM Installation (71022)

Broadcom/Intel SNMP agent installers are provided by Broadcom/Intel and they do not support installation of these components in the custom directory.

Issue description: On Server Administrator 8.2.0, while running the Repair option from Add/Remove Programs or Uninstall or Change a program window, if an error occurs, use the Repair option in the MSI.

Issue description: Do not specify user profile folders such as a desktop folder (`C:\Users\administrator\Desktop`) as custom installation paths for installing Server Administrator. This is because services running on the system account cannot access such folders.

Known Limitations on Linux Operating Systems

Issue description: Linux install script cannot be run from Virtual Media.

The `srvadmin-services.sh` script cannot be run from Virtual Media. Run this script from the local file system after unmounting the virtual media. This avoids input/output errors that you may otherwise encounter while using Virtual Media.

Versions Affected: 8.2.0 and earlier

Issue description: YUM uninstall leaves services running. (410584)

If you are using methods other than the `srvadmin-uninstall.sh` command to uninstall Server Administrator rpm, the Server Administrator service processes may still continue to run.

To prevent this issue, run the `srvadmin-services stop` command to stop the Server Administrator services and then remove the Server Administrator rpms.

Versions Affected: 8.1.0 and earlier

Issue description: After uninstalling the VIB on the ESXi OS, some INI files may be present in the `/etc/cim/dell` folder. However, these INI files do not cause any functional limitation.

Contacting Dell

NOTE: Dell provides several online and telephone-based support and service options. If you do not have an active Internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog. Availability varies by country and product, and some services may not be available in your area.

To contact Dell for sales, technical support, or customer-service issues:

- 1 Go to **dell.com/contactdell**.
- 2 Select your country or region from the interactive world map. When you select a region, the countries for the selected regions are displayed.
- 3 Select the appropriate language under the country of your choice.
- 4 Select your business segment. The main support page for the selected business segment is displayed.
- 5 Select the appropriate option depending on your requirement.

 **NOTE: If you have purchased a Dell system, you may be asked for the Service Tag.**